

Country/area	Insecticide-treated nets			Indoor residual spraying			Treatment								Malaria in pregnancy	
	ITNs/ LLINs are distributed for free	ITNs/ LLINs are distributed to all age groups	ITNs/ LLINs distributed through mass campaigns to all age groups	IRS is recommended by malaria control program	DDT is used for IRS	ACT policy adopted	Patients of all ages should get diagnostic test	Malaria diagnosis is free of charge in the public sector	RDTs used at community level	Pre-referral treatment with quinine or artemether IM or artesunate suppositories	Single dose of primaquine (0.25mg base/kg) is used as gametocidal medicine for P. falciparum1	Primaquine is used for radical treatment of P. vivax cases	G6PD test is recommended before treatment with primaquine	Directly observed treatment with primaquine is undertaken	IPTp used to prevent malaria during pregnancy	Seasonal malaria chemoprevention (SMC or IPTc) is used
Bangladesh	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	N	Y	N	N	NA	-
Bhutan	Y	Y	Y	Y	N	Y	Y	Y	N	Y	Y	N	N	N	NA	-
Democratic People's Republic of Korea	Y	Y	-	Y	N	NA	-	Y	-	-	N	Y	N	Y	NA	-
India	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	NA	-
Indonesia	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	N	N	NA	-
Myanmar	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	N	N	NA	-
Nepal	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	-	-	-	-	NA	-
Sri Lanka	Y	Y	-	Y	N	Y	-	Y	-	-	Y	Y	Y	Y	NA	-
Thailand	Y	Y	Y	Y	N	Y	Y	Y	Y	N	Y	Y	N	Y	NA	-
Timor-Leste	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	N	Y	N	N	NA	-
Cambodia	Y	Y	Y	N	N	Y	Y	Y	Y	N	N	N	Y	N	NA	-
China	Y	Y	Y	Y	N	Y	Y	N	N	N	N	Y	N	Y	NA	-
Lao People's Democratic Republic	Y	Y	Y	Y	N	Y	Y	Y	Y	N	N	N	Y	N	NA	-
Malaysia	Y	Y	-	-	N	Y	-	Y	-	-	N	Y	Y	Y	NA	-
Papua New Guinea	Y	Y	Y	Y	N	Y	Y	Y	N	Y	-	-	-	-	Y	-
Philippines	Y	Y	N	Y	N	Y	Y	Y	Y	N	Y	Y	Y	Y	NA	-
Republic of Korea	Y	Y	-	-	N	NA	-	Y	-	-	-	Y	N	N	NA	-
Solomon Islands	Y	Y	N	Y	N	Y	Y	Y	N	Y	N	Y	Y	N	NA	-
Vanuatu	Y	Y	Y	N	N	Y	Y	N	Y	Y	N	Y	Y	N	NA	-
Viet Nam	Y	Y	Y	Y	N	Y	Y	Y	Y	N	Y	Y	N	Y	NA	-

ACT, artemisinin-based combination therapy; DDT, dichlorodiphenyltrichloroethane; IM, intramuscular; IPTc, intermittent preventive treatment for children; IRS, indoor residual spraying; ITN, insecticide-treated mosquito net; LLIN, long-lasting insecticidal net; N/A, not applicable; RDT, rapid diagnostic test; SMC, seasonal malaria chemoprevention

(Y) = Actually implemented - (N) = Not implemented - (N/A) = Not applicable - (-) = Question not answered

Source: Who (2014) World Malaria Report 2013